

































EQUIPMENT BROCHURE 2022




ICON LEGEND

	New		Top heat
	Induction		Bottom heat
	LED		Top and bottom heat
	Cooling fan		Grill
	Hot air/air circulation		Pyrolysis
	Residual heat indicator		Water stop / AquaStop
	Sensor-controlled / TouchControl		Sliding door technology
	Metal grease filter		Fixed door technology
	Fleece/acrylic grease filter		FCKW-free
	Gas		Roasting cooking zone / combi cooking zone
	Defrost		Lighting
	Exhaust and recirculated air		Two-ring cooking zone
	„Auto 3 in 1“ function		Three-ring cooking zone
	Drying performance class		Flush installation of sinks
		Energy efficiency class	
 		Aperture size	
		Width	

Note:

We reserve the right to make technical changes, change delivery times, make changes and colour deviations, and are not responsible for printing errors. The product information is in accordance with the appliance industry specifications.



TOP DEVICES, FAIR PRICE

In 2017, the baumann group laid the foundation stone for the **BURG** appliance brand. The aim was and is to offer a solid and well-equipped full range of appliances for kitchens up to the medium price segment.

In every device class there are important equipment features that often offer a better standard than other brands in a comparable price range.

All cookers and ovens are equipped with a baking tray, drip pan and grill from the start. All dishwashers are equipped with 49dB or quieter, a full stainless steel interior and AquaStop, the standard side fastening ensures perfect installation. Hoods are equipped with an activated carbon filter included in the scope of delivery for recirculation mode, but can of course also be connected in exhaust air mode.

There are also unique equipment features. Discover highlights such as HotAir Shield, Ready Cook and HeatWrap for the ovens, AutoMode for melting, frying and cooking for the hobs. Let yourself be inspired by IonTech, MaxiFresh Preserver or Vacuum Bag for the cooling devices, to name just a few keywords.

The range is rounded off with interesting accessories, such as for example Pizza stone, MagicBox, wine glass holder or grill plate.

Come and discover with us. **BURG** devices for everyone for whom equipment is important.

CONTENT



ICON LEGEND	2
TIPS ON CARE AND USE	4
REFRIGERATORS	5
COOKERS, HOBS & OVENS	13
COMPACT-OVENS	19
AUTONOMOUS HOBS	21
HOB EXTRACTOR	25
GAS HOB	26
DISHWASHERS	27
ACCESSORIES	31
BURG COOKWARE	32
BURG BASIC	33
DIMENSIONAL DRAWINGS	34
CUSTOMER SERVICE	38

Tips on use and care instructions

General care instructions

Each electrical device is accompanied by separate operating and care instructions from the device manufacturer. Please adhere to the instructions described in this manufacturer's manual.

Refrigerators

For reasons of hygiene, you should clean your refrigerator every 6 months. To do this, switch off the refrigerator, let it defrost and remove all compartments and baskets. Also remove any residues in the condensation drain at the lower end of the rear wall of the cooling device. Regularly check the condensation drain in your cooling device so that no clogging occurs and overflowing condensation cannot damage the cabinet.

Icing of the freezer compartment should be avoided, as it affects the cooling performance and increases the power consumption of the device. Please always ensure that any ventilation devices on the refrigerator are freely accessible and clean.

Regular cleaning with a soft cloth and mild detergent or vinegar water is important to prevent germs and pathogens from breeding.

Built-in ovens/cookers

Occasionally check the surface temperature on the side edge of the oven door. As long as you can still touch the edge with your fingertip, the temperature is below about 70 ° C and the heat dissipation is okay. If not, the stove / oven must be checked for leaks by the customer service. Otherwise, irreparable damage to the adjacent cabinets cannot be ruled out. The interior of the stove / oven is best cleaned with a commercially available detergent, as long as it is still warm and the dirt has not yet been burned in. Use a specially designated oven cleaner for stubborn dirt.

Modern ovens have a self-cleaning program called pyrolysis.

Please also note the manufacturer's information and the information on the cleaning agent!

Hobs

Never place flammable objects on the hob. Rough bottoms on pots and pans may scratch the surface of the hob, so always lift them rather than sliding them along. Keep the control surfaces dry at all time, as moisture will impair the function.

Remove any spills as quickly as possible, as otherwise they will be baked onto the surface the next time the hob is switched on. Use a scraper for ceramic hobs if it is still hot. For cleaning and care purposes use a soft cloth, leather, soft sponge or scraper for ceramic hobs and the usual neutral household detergents or the special-purpose cleaning agents recommended by the manufacturer. Stubborn stains caused by water, limescale or abrasions caused by pots or pans are best removed with the special-purpose cleaning agents recommended by the manufacturer. Never use scouring pads, scouring powder, steel wool or pan scourers, as they will damage the surface to such an extent that it cannot subsequently be restored.

In addition to the points listed, always follow the care instructions provided by the appliance manufacturer.

Dishwashers

Open the dishwasher first approx. 20 minutes upon completion of the programme, allowing the steam to condensate within the dishwasher. If something is urgently needed:

Open the dishwasher door completely, remove whatever is needed and close the door again firmly (do not simply lean it against the unit). To ensure the best washing results, remove larger food scraps.

The sieve should be checked regularly for soiling deposits and cleaned where necessary.

BURG refrigerators come with long-life and energy-saving LED lighting, not only providing them with brighter interior illumination but saving money too.

The adjustable glass shelves are made of toughened safety glass with a load-bearing capacity of up to 20 kg. An overflow protection all around or at the front and rear hold back liquids.



BKG178EMF

The large Fridge-freezer combination with a net capacity of 243 liters, of which 63 liters are in the freezer compartment

- Energy efficiency class E
- dynamic cooling (No frost): a circulating air system ensures reduced humidity and ice formation in the freezer area
- including Maxi Fresh Preserver for fresh food
- Freezer compartment with practical large capacity box
- LED display for temperature, super cool * and alarm
- SuperCooling * = fresh shopping is automatically optimally chilled
- Drawer with moisture control
- adjustable door compartments
- Bottle holder

The Maxi Fresh Preserver

This small box binds ethylene („ripening gas“ or „putrefaction gas“) and thus prevents rapid ripening or spoilage, especially of „green“ vegetables or fruit. These foods stay fresh and edible longer. The Maxi Fresh Preserver can be regenerated.

REFRIGERATORS

REFRIGERATORS



Built-in refrigerator
BKS88F / BKS88E



Equipment

- Automatic defrost
- Temperature regulator
- 4 shelves made of safety glass with drip protection edge
- 1 fruit- and vegetable drawer
- LED lighting
- 3 door shelves

supplied accessories:

- 1 egg tray

optional accessories (Page 31):

- Bottle holder Magic Box

Specifications

- Energy efficiency class: **F, E** (Spectrum A to G)
- Energy consumption: 116 kWh/year (BKS88F), 93 kWh/year (BKS88E)
- Net capacity: 134 l
- Climate class: T/N (16°-43° C, BKS88F)
- Climate class: N (16°-32° C, BKS88E)
- Operating noise: 38 dB(A) re1pW
- Airborne sound emissions class: C
- Mounting dimensions (H x W x D): 875-895 x 560-570 x 550 mm
- Length of connecting cable: 2,10 m
- Total connection value: 106 W



Built-in refrigerator with freezer
BKG88F / BKG88E



Equipment

- Automatic defrost
- Temperature regulator
- 3 shelves made of safety glass with drip protection edge
- 1 fruit- and vegetable drawer
- LED lighting
- 3 door shelves

supplied accessories:

- 1 egg tray
- 1 Ice cube tray

optional accessories (Page 31):

- Bottle holder Magic Box

Specifications

- Energy efficiency class: **F, E** (Spectrum A to G)
- Energy consumption: 185 kWh/year (BKG88F), 148 kWh/year (BKG88E)
- Net capacity: 121 l, of which 17 l ****freezer
- Freezing capacity: 2,6 kg/24 h
- Storage time during disorder: 7 h
- manual defrost in freezer section
- Climate class: N (16°-32° C)
- Operating noise: 38 dB(A) re1pW
- Airborne sound emissions class: C
- Mounting dimensions (H x W x D): 875-895 x 560-570 x 550 mm
- Length of connecting cable: 2,10 m
- Total connection value: 105 W



Built-in refrigerator
BKS103E



Equipment

- Automatic defrost
- Temperature regulator
- 4 shelves made of safety glass with drip protection edge
- 1 fruit- and vegetable drawer
- LED lighting
- 4 door shelves

supplied accessories:

- 1 egg tray

optional accessories (Page 31):

- Bottle holder Magic Box

Specifications

- Energy efficiency class: **E** (Spectrum A to G)
- Energy consumption: 96 kWh/year
- Net capacity: 160 l
- Climate class: N (16°-32° C)
- Operating noise: 38 dB(A) re1pW
- Airborne sound emissions class: C
- Mounting dimensions (H x W x D): 1020-1040 x 560-570 x 550 mm
- Length of connecting cable: 2,10 m
- Total connection value: 122 W

REFRIGERATORS



**Built-in refrigerator with freezer
BKG103E**



Equipment

- Automatic defrost
- Temperature regulator
- 3 shelves made of safety glass with drip protection edge
- 1 fruit- and vegetable drawer
- LED lighting
- 4 door shelves

supplied accessories:

- 1 egg tray
- 1 Ice cube tray

optional accessories (Page 31):

- Bottle holder Magic Box

Specifications

- Energy efficiency class: **E** (Spectrum A to G)
- Energy consumption: 148 kWh/year
- Net capacity: 147 l, of which 17 l ****freezer
- Freezing capacity: 2,6 kg/24 h
- Storage time during disorder: 9 h
- manual defrost in freezer section
- Climate class: N (16°-32° C)
- Operating noise: 38 dB(A) re1pW
- Airborne sound emissions class: C
- Mounting dimensions (H x W x D): 1020-1040 x 560-570 x 550 mm
- Length of connecting cable: 2,10 m
- Total connection value: 105 W



**Built-in refrigerator
BKS124F**



Equipment

- Automatic defrost
- Temperature regulator
- 5 shelves made of safety glass with drip protection edge
- 1 fruit- and vegetable drawer
- LED lighting
- 4 door shelves

supplied accessories:

- 1 egg tray

optional accessories (Page 31):

- Bottle holder Magic Box

Specifications

- Energy efficiency class: **F** (Spectrum A to G)
- Energy consumption: 126 kWh/year
- Net capacity: 200 l
- Climate class: N (16°-32° C)
- Operating noise: 38 dB(A) re1pW
- Airborne sound emissions class: C
- Mounting dimensions (H x W x D): 1225-1245 x 560-570 x 550 mm
- Length of connecting cable: 2,10 m
- Total connection value: 142 W



**Built-in refrigerator with freezer
BKG124F**



Equipment

- Automatic defrost
- Temperature regulator
- 4 shelves made of safety glass with drip protection edge
- 1 fruit- and vegetable drawer
- LED lighting
- 4 door shelves

supplied accessories:

- 1 egg tray
- 1 Ice cube tray

optional accessories (Page 31):

- Bottle holder Magic Box

Specifications

- Energy efficiency class: **F** (Spectrum A to G)
- Energy consumption: 188 kWh/year
- Net capacity: 187 l, of which 17 l ****freezer
- Freezing capacity: 2,6 kg/24 h
- Storage time during disorder: 8 h
- manual defrost in freezer section
- Climate class: N (16°-32° C)
- Operating noise: 38 dB(A) re1pW
- Airborne sound emissions class: C
- Mounting dimensions (H x W x D): 1225-1245 x 560-570 x 550 mm
- Length of connecting cable: 2,10 m
- Total connection value: 153 W

REFRIGERATORS



Built-in fridge-freezer combination**
BKG122FDT**



Equipment

- Automatic defrost
- Temperature regulator
- 3 shelves made of safety glass with drip protection edge
- 1 fruit- and vegetable drawer
- LED lighting
- 3 door shelves
- 1 Grating

supplied accessories:

- 1 egg tray
- 1 Ice cube tray

optional accessories (Page 31):

- Bottle holder Magic Box

Specifications

- Energy efficiency class: **F** (Spectrum A to G)
- Energy consumption: 225 kWh/year
- Net capacity: 172 l, of which 38 l ****freezer
- Freezing capacity: 2,6 kg/24 h
- Storage time during disorder: 10 h
- manual defrost in freezer section
- Climate class: N-ST (16°-38° C)
- Operating noise: 39 dB(A) re1pW
- Airborne sound emissions class: C
- Mounting dimensions (H x W x D):
1225-1245 x 560-570 x 550 mm
- Length of connecting cable: 2,10 m
- Total connection value: 160 W



Built-in fridge-freezer combination**
BKG144F.1**



Equipment

- Automatic defrost
- Temperature regulator
- 4 shelves made of safety glass with drip protection edge
- 1 fruit- and vegetable drawer
- LED lighting
- 4 door shelves
- 1 Grating

supplied accessories:

- 1 egg tray
- 1 Ice cube tray

optional accessories (Page 31):

- Bottle holder Magic Box

Specifications

- Energy efficiency class: **F** (Spectrum A to G)
- Energy consumption: 223 kWh/year
- Net capacity: 209 l, of which 37,6 l ****freezer
- Freezing capacity: 2,6 kg/24 h
- Storage time during disorder: 11 h
- manual defrost in freezer section
- Climate class: N (16°-32° C)
- Operating noise: 38 dB(A) re1pW
- Airborne sound emissions class: C
- Mounting dimensions (H x W x D):
1445-1465 x 560-570 x 550 mm
- Length of connecting cable: 2,10 m
- Total connection value: 132 W



Built-in fridge-freezer combination**
BKG144FKOMBI**



Equipment

- Automatic defrost
- Temperature regulator
- 3 shelves made of safety glass with drip protection edge
- 1 fruit- and vegetable drawer with moisture control
- LED lighting
- 3 door shelves
- 2 Frozen drawers

supplied accessories:

- 1 egg tray
- 1 Ice cube tray

optional accessories (Page 31):

- Bottle holder Magic Box

Specifications

- Energy efficiency class: **F** (Spectrum A to G)
- Energy consumption: 255 kWh/year
- Net capacity: 211 l, of which 57 l ****freezer
- Freezing capacity: 2,6 kg/24 h
- Storage time during disorder: 11,8 h
- manual defrost in freezer section
- Climate class: N-T (16°-43° C)
- Operating noise: 38 dB(A) re1pW
- Airborne sound emissions class: C
- Mounting dimensions (H x W x D):
1445-1465 x 560-570 x 550 mm
- Length of connecting cable: 2,10 m
- Total connection value: 144 W

REFRIGERATORS



Built-in fridge-freezer combination**** BKG178F



Equipment

- Automatic defrost
- Temperature regulator
- 4 shelves made of safety glass with drip protection edge
- 1 fruit- and vegetable drawer with moisture control
- LED lighting
- 4 door shelves
- 2 Frozen drawers
- 1 flap door

supplied accessories:

- 1 egg tray
- 1 Ice cube tray

optional accessories (Page 31):

- Bottle holder Magic Box

Specifications

- Energy efficiency class: **F** (Spectrum A to G)
- Energy consumption: 269 kWh/year
- Net capacity: 249 l, of which 68 l ****freezer
- Freezing capacity: 4,5 kg/24 h
- Storage time during disorder: 12,5 h
- manual defrost in freezer section
- Climate class: N-T (16°-43° C)
- Operating noise: 38 dB(A) re1pW
- Airborne sound emissions class: C
- Mounting dimensions (H x W x D): 1770-1790 x 560-570 x 550 mm
- Length of connecting cable: 2,10 m
- Total connection value: 195 W

Built-in fridge-freezer combination**** BKG178EMF



Equipment

- Automatic defrost
- electronic display
- 4 shelves made of safety glass, of which 3 are height adjustable
- 1 fruit- and vegetable drawer with moisture control
- LED lighting
- dynamic cooling
- Maxi Fresh Preserver: keeps vegetables fresher for longer by binding ethylene gas. Renewed once a year by sunlight or in the oven.
- 4 door shelves
- 2 transparent freezer drawers, of which 1 BigBox
- 1 flap door

supplied accessories:

- 1 egg tray
- 1 Ice cube tray

optional accessories (Page 31):

- Bottle holder Magic Box

Specifications

- Energy efficiency class: **E** (Spectrum A to G)
- Energy consumption: 218 kWh/year
- Net capacity: 243 l, of which 63 l ****freezer
- Freezing capacity: 3,3 kg/24 h
- Storage time during disorder: 8 h
- Frost-free
- Climate class: T/N (16°-43° C)
- Operating noise: 41 dB(A) re1pW
- Airborne sound emissions class: C
- Mounting dimensions (H x W x D): 1770-1790 x 560-570 x 550 mm
- Length of connecting cable: 2,10 m
- Total connection value: 153 W

Cool newcomer: Our new French door refrigerator in the trendy side-by-side design combines a slim design with a large storage volume and environmentally conscious technology. The individual areas can be space- and energy-saving open separately. The highlights of the equipment are the IonTec function and the innovative vacuuming station integrated in the door for optimal, uncomplicated preservation of food. A real eye-catcher in any contemporary kitchen planning!



Vacuum Bag
- Vacuuming means
that food stays fresh
many times longer; Flavor
sealing for high quality
food

IonTech -
neutralizes unple-
asant odors; removes
airborne bacteria up
to 99.9%



FRENCH DOOR REFRIGERATOR

Free-standing refrigerator****

BFK186FD



- **Dark stainless steel**
- **Dimensions of appliance (H x W x D): 1850 x 910 x 750 mm**
- electronic display on the exterior door
- **Vacuum Bag:** vacuum-sealing unit easily accessible on the exterior door. Vacuum sealing prevents oxygen coming into contact with the foodstuffs, meaning that they remain fresh for longer. For space-saving storage of food in the refrigerator. Suitable for healthy, high vitamin sous vide cooking. Standard vacuum bags with a structured surface and maximum width 18 cm required. Bags can be reused. 30 bags included in delivery.
- **Ion Tech:** emits negative ions that neutralize unpleasant smelling particles and dust in the air. By removing these particles, Ion Tech improves air quality and removes airborne bacteria up to 99.9%.
- The wide opening French doors reveal the entire width of the fridge interior at a glance.
- **Flexible freezer compartment:** the freezer compartments can be turned into a refrigerator compartment.
- **No Frost Multi-Cooling technology:** even refrigeration with no transfer of flavours or odours between refrigerator and freezer thanks to separate cooling circuits.
- **Eco Mode:** ensures that the refrigerator has the ideal temperature setting
- **Night sensor:** The night sensor function saves energy by switching off the lighting in the cooling unit as soon as the room is sufficiently bright.
- **Holiday mode:** the refrigerator runs at 10 degrees to save energy
- **Chilled drinks mode:** bottles are chilled to the optimum temperature in minutes.
- **Quick freeze/quick chill mode:** This mode is suitable for quick freezing / cooling of ready meals or large quantities of food.
- Childlock for the control display

Equipment refrigerator compartment

- 3 safety glass shelves of which 2 are height adjustable
- 2 fruit- and vegetable drawers with moisture control
- LED interior lighting

Interior door equipment

- 2x 4 door shelves

Equipment freezer compartment

- 2x 2 transparent freezer drawers, of which 1 BigBox
- 2 compartments

supplied accessories:

- 1 egg tray
- 2 Ice cube trays

Specifications

- Energy efficiency class: **F** (Spectrum A to G)
- average energy consumption: 475 kWh/a
- Net capacity total: 587 l, of which 189 l ****freezer
- Freezing capacity: 13 kg / 24 h
- Storage time during disorder: 12 h
- Frost-free
- Climate class: T/N (16-43° C)
- Operating noise: 44 dB(A) re1pW
- Airborne sound emissions class: D
- **Weight including packaging: approx. 160 kg**
- **Packing dimensions (H x W x D): 1950 x 1025 x 858 mm**
- Length of connecting cable: 2,10 m
- Total connection value: 197 W

Please note the dimensions of the refrigerator for transportation to the destination.



NoFrost Multi Cooling

Two independent air cooling circuits with 2 separate fans and evaporators. The freezer area can also be used for cooling.



Freezer Shield

Freezer Shield

Conventional cooling devices work at an ambient temperature of at least 10 ° C. With this technology, the device can also be used at ambient temperatures from -15 ° C, for example on the terrace.



Chill Zone

Chiller Zone

For storage at approx. 0 ° C; Here thawing fish and meat can be kept longer. At the same time, fish and meat stay fresh longer and undesirable odors are avoided.

REFRIGERATORS



**Built-under refrigerator
BKS82F**



Equipment

- Fixed door technology
- Automatic defrost
- Temperature regulator
- 2 glass shelves
- 1 vegetable compartment
- LED lighting
- 2 door shelves

supplied accessories:

- 1 egg tray

optional accessories (Page 31):

- Bottle holder Magic Box

Specifications

- Energy efficiency class: **F** (Spectrum A to G)
- Energy consumption: 116 kWh/year
- Net capacity: 134 l
- Climate class: SN (10°-32° C)
- Operating noise: 39 dB(A) re1pW
- Airborne sound emissions class: C
- Mounting dimensions (H x W x D): 820-890 x 600 x 550 mm
- Length of connecting cable: 2,10 m
- Total connection value: 63 W



**Built-under refrigerator with freezer
BKG82F**



Equipment

- Fixed door technology
- Automatic defrost
- Temperature regulator
- 2 glass shelves
- 1 vegetable compartment
- LED lighting
- 2 door shelves

supplied accessories:

- 1 egg tray
- 1 Ice cube tray

optional accessories (Page 31):

- Bottle holder Magic Box

Specifications

- Energy efficiency class: **F** (Spectrum A to G)
- Energy consumption: 187 kWh/year
- Net capacity: 115 l, of which 17 l ****freezer
- Freezing capacity: 2,6 kg/24 h
- Storage time during disorder: 7 h
- Climate class: SN (10°-32° C)
- Operating noise: 39 dB(A) re1pW
- Airborne sound emissions class: C
- Mounting dimensions (H x W x D): 820-890 x 600 x 550 mm
- Length of connecting cable: 2,10 m
- Total connection value: 123 W

Every BURG cooker or oven includes 1 baking sheet, 1 drip pan (can also be used as a baking sheet) and 1 grillage. Prepare your favorite dishes in your home, the home-baked bread, cake, the Sunday roast, the crispy chicken or the finest fish.

HeatWrap, HotAir Shield, ReadyCook or VAP Clean are unique features.



BEB12BL

Oven with HeatWrap, HotAir Shield and VAP Clean

- Full Touch Display
- Full Black Door: when the oven is switched off, you cannot see the interior of the oven
- HotAir Shield
- HeatWrap technology
- VAP Clean (hydrolytic cleaning function)
- Oven volume: 78 liters
- Easy cleaning door



HotAir Shield: patented hot air/waste steam deflection system. Glasses do not steam up, the risk of injury is minimised.



HeatWrap: Baking on up to 5 levels without flavor transfer; with the innovative hot air system, with two fans and vertical heat distribution



VAP Clean: (hydrolytic cleaning function): the cleaning is hereby breeze; Place the supplied bowl filled with water on the bottom of the oven, set VAP Clean, wipe briefly ... done!

COOKERS, HOBS & OVENS

COOKERS



Built-in cooker BEH3.1



**combined with the hobs BCF60-E,
BCR60-E, BCF60ZKB, BCR60ZKB**
- Stainless steel

Oven functions

- Top and bottom heat
- Top heat
- Bottom heat

Equipment

- 1 Indicator light for ON / OFF
- 1 Indicator light for the oven temperature
- Control panel metal
- Cooling fan
- Easy cleaning door (full glazing)
- double safety glazing
- embossed baking sheet guides
- Series accessories:
 - 1 email baking tray
 - 1 Grating chrome-plated
 - 1 email drip pan

optional accessories (Page 31):

- Telescopic full extension / telescopic full extension
- another drip pan, another baking tray
- Pizza stone and pizza paddle

Specifications

- Energy efficiency class: **A** (Spectrum A+++ to D)
- Temperature range: 50-275° C
- Oven light: 25 W
- Oven volume: 72 liters
- Energy consumption (conventional): 0,81 kWh
- Mounting dimensions (H x W x D): 600 x 580 x 555 mm
- Connection value: 2,3 kW

Built-in cooker BEH7.1



**combined with the hobs BCF60-E,
BCR60-E, BCF60ZKB, BCR60ZKB**
- Stainless steel

Oven functions

- Defrost
- Top and bottom heat
- Convection
- Bottom heat + convection
- Grill
- Double grille
- Double grill + convection

Equipment

- 1 Indicator light for ON / OFF
- 1 Indicator light for the oven temperature
- Control panel metal
- Cooling fan
- Easy cleaning door (full glazing)
- double safety glazing
- Baking tray guide with hang-in racks
- Telescopic extension retrofit
- Series accessories:
 - 1 email baking tray
 - 1 Grating chrome-plated
 - 1 email drip pan

optional accessories (Page 31):

- Telescopic full extension / telescopic full extension
- another drip pan, another baking tray
- Pizza stone and pizza paddle

Specifications

- Energy efficiency class: **A** (Spectrum A+++ to D)
- Temperature range: 50-275° C
- Oven light: 25 W
- Oven volume: 78 liters
- Energy consumption (conventional): 0,93 kWh
- Energy consumption (convection/hot air): 0,83 kWh
- Mounting dimensions (H x W x D): 600 x 580 x 555 mm
- Connection value: 2,6 kW, 230 V

Built-in cooker BEH10-DT.1



**combined with the hobs BCF60-E,
BCR60-E, BCF60ZKB, BCR60ZKB**
- Stainless steel

Oven functions

- Defrost
- Hot air
- Top and bottom heat
- Convection
- Pizza setting
- Grill
- Double grille
- Double grill + convection
- VAP Clean (hydrolytic cleaning function)

Equipment

- 1 Indicator light for ON / OFF
- 1 Indicator light for the oven temperature
- Control panel stainless steel
- Cooling fan
- Easy cleaning door (full glazing)
- double safety glazing
- Programmable digital timer
- VAP Clean (hydrolytic cleaning function)
- retractable control knobs
- Baking tray guide with hang-in racks
- Telescopic extension retrofit
- Series accessories:
 - 1 email baking tray, 1 Grating chrome-plated
 - 1 email drip pan, 1 small, deep pan


optional accessories (Page 31):

- Telescopic full extension / telescopic full extension
- another drip pan, another baking tray
- Pizza stone and pizza paddle


Specifications

- Energy efficiency class: **A** (Spectrum A+++ to D)
- Temperature range: 50-275° C
- Oven light: 25 W
- Oven volume: 78 liters
- Energy consumption (conventional): 0,93 kWh
- Energy consumption (convection/hot air): 0,83 kWh
- Mounting dimensions (H x W x D): 600 x 580 x 555 mm
- Connection value: 2,3 kW, 230 V

HOBBS



optionally with stainless steel frame



optionally with stainless steel frame

Glass ceramic hob BCF60-E, BCR60-E



combined with the built-in cookers BEH3.1, BEH7.1, BEH10-DT.1

Executions

- Frameless for surface or flush installation
- Stainless steel frame

Equipment

- Energy controlled
- 4 cooking zones
- 2 x 145 mm Ø, 1200 W
- 2 x 180 mm Ø, 1800 W
- 4-fold residual heat indicator

optional accessories (Page 32):

- BURG Cookware

Specifications

- Mounting dimensions (W x D): 560 x 490 mm
- Connection value: 6,0 kW

Glass ceramic hob BCF60ZKB, BCR60ZKB



combined with the built-in cookers BEH3.1, BEH7.1, BEH10-DT.1

Executions

- Frameless for surface or flush installation
- Stainless steel frame

Equipment

- 4 cooking zones
- 2 x 145 mm Ø, 1200 W
- 1 cooking zone for roast: 155/260 mm Ø, 1800 W
- 1 dual-circuit cooking zone: 110/180 mm Ø, 700/1700 W
- 4-fold residual heat indicator

optional accessories (Page 32):

- BURG Cookware

Specifications

- Mounting dimensions (W x D): 560 x 490 mm
- Connection value: 5,9 kW

OVENS



**Built-in oven
BEB3.1**



- Stainless steel

Oven functions

- Top and bottom heat
- Top heat
- Bottom heat

Equipment

- 1 Indicator light for ON / OFF
- 1 Indicator light for the oven temperature
- Control panel stainless steel
- Cooling fan
- Easy cleaning door (full glazing)
- double safety glazing
- embossed baking sheet guides
- Series accessories:
 - 1 email baking tray
 - 1 Grating chrome-plated
 - 1 email drip pan

optional accessories (Page 31):

- Telescopic full extension / telescopic full extension
- another drip pan, another baking tray
- Pizza stone and pizza paddle

Specifications

- Energy efficiency class: **A** (Spectrum A+++ to D)
- Temperature range: 50-270° C
- Oven light: 25 W
- Oven volume: 78 liters
- Energy consumption (conventional): 0,81 kWh
- Mounting dimensions (H x W x D): 600 x 580 x 555 mm
- Connection cable with earthed plug: 1,60 m
- Connection value: 2,3 kW, 230 V



**Built-in oven
BEB8.1**



- Stainless steel

Oven functions

- Defrost
- Top and bottom heat
- Convection
- Bottom heat + convection
- Grill
- Double grille
- Double grill + convection

Equipment

- 1 Indicator light for ON / OFF
- 1 Indicator light for the oven temperature
- Control panel stainless steel
- Cooling fan
- Easy cleaning door (full glazing)
- double safety glazing
- embossed baking sheet guides
- Series accessories:
 - 1 email baking tray
 - 1 Grating chrome-plated
 - 1 email drip pan

optional accessories (Page 31):

- Telescopic full extension / telescopic full extension
- another drip pan, another baking tray
- Pizza stone and pizza paddle

Specifications

- Energy efficiency class: **A** (Spectrum A+++ to D)
- Temperature range: 50-270° C
- Oven light: 25 W
- Oven volume: 78 liters
- Energy consumption (conventional): 0,86 kWh
- Energy consumption (convection/hot air): 0,78 kWh
- Mounting dimensions (H x W x D): 600 x 580 x 555 mm
- Connection cable with earthed plug: 1,60 m
- Connection value: 2,6 kW, 230 V



**Built-in oven
BEB8DT.1**



- Stainless steel

Oven functions

- Defrost
- Top and bottom heat
- Convection
- Grill
- Double grille
- Double grill + convection
- Bottom heat + convection

Equipment

- 1 Indicator light for ON / OFF
- 1 Indicator light for the oven temperature
- Control panel stainless steel
- Cooling fan
- Easy cleaning door (full glazing)
- removable inner glass
- double safety glazing
- Programmable digital timer
- retractable control knobs
- Baking tray guide with hang-in racks
- Telescopic extension retrofit
- Series accessories:
 - 1 email baking tray
 - 1 Grating chrome-plated
 - 1 email drip pan

optional accessories (Page 31):

- Telescopic full extension / telescopic full extension
- another drip pan, another baking tray
- Pizza stone and pizza paddle

Specifications

- Energy efficiency class: **A** (Spectrum A+++ to D)
- Temperature range: 50-270° C
- Oven light: 25 W
- Oven volume: 78 liters
- Energy consumption (conventional): 0,93 kWh
- Energy consumption (convection/hot air): 0,83 kWh
- Mounting dimensions (H x W x D): 600 x 580 x 555 mm
- Connection cable with earthed plug: 1,60 m
- Connection value: 2,6 kW, 230 V

OVENS



Built-in oven with pyrolysis BEB8BL



- Glass black

Oven functions

- Defrost
- Hot air
- Top and bottom heat
- Convection
- Grill
- Double grille
- Double grill + convection
- Pyrolysis

Equipment

- visioTouch display for displaying operating modes, temperature and time, multicolored
- Cooling fan
- Timer
- retractable control knobs
- Pyrolytic cleaning function
- Baking tray guide with hang-in racks
- Telescopic extension retrofit
- Series accessories:
 - 1 email baking tray
 - 1 Grating chrome-plated
 - 1 email drip pan

optional accessories (Page 31):

- Telescopic full extension / telescopic full extension
- another drip pan, another baking tray
- Pizza stone and pizza paddle

Technische Daten

- Energy efficiency class: **A** (Spectrum A+++ to D)
- Temperature range: 50-270° C, Pyro 480°
- Oven light: 25 W
- Oven volume: 78 liters
- Energy consumption (conventional): 0,93 kWh
- Energy consumption (convection/hot air): 0,83 kWh
- Mounting dimensions (H x W x D): 600 x 580 x 555 mm
- Connection cable with earthed plug: 1,60 m
- Connection value: 2,6 kW, 230 V

Built-in oven with VAP Clean BEB10BL



- Glass black

Oven functions

- Defrost
- Hot air
- Top and bottom heat
- Convection
- Pizza setting
- Grill
- Double grille
- Double grill + convection
- VAP Clean (hydrolytic cleaning function)

Equipment

- HotAir Shield: patented hot air/waste steam deflection system. Glasses do not steam up, the risk of injury is minimised.
- VAP Clean (hydrolytic cleaning function)
- Cooling fan
- Easy cleaning door (full glazing)
- removable inner glass
- double safety glazing
- Programmable digital timer
- retractable control knobs
- Baking tray guide with hang-in racks
- Telescopic extension retrofit
- Series accessories:
 - 1 email baking tray
 - 1 Grating chrome-plated
 - 1 email drip pan

optional accessories (Page 31):

- Telescopic full extension / telescopic full extension
- another drip pan, another baking tray
- Pizza stone and pizza paddle

Specifications

- Energy efficiency class: **A** (Spectrum A+++ to D)
- Temperature range: 50-270° C
- Oven light: 25 W
- Oven volume: 78 liters
- Energy consumption (conventional): 0,93 kWh
- Energy consumption (convection/hot air): 0,83 kWh
- Mounting dimensions (H x W x D): 600 x 580 x 555 mm
- Connection cable with earthed plug: 1,60 m
- Connection value: 3,1 kW, 230 V

Built-in oven with ReadyCook BEB161BL



- Glass black

Oven functions

- Defrost
- Hot air
- Top and bottom heat
- Convection
- Pizza setting
- Grill
- Double grille
- Double grill + convection
- VAP Clean (hydrolytic cleaning function)

Equipment

- 4,3" TFT LCD display
- ReadyCook function: 150+ auto. cooking programmes
- Steam support: Ensures perfect baking/cooking results
- HotAir Shield: patented hot air/waste steam deflection system. Glasses do not steam up, the risk of injury is minimised.
- Soft Close ensures that the oven door closes automatically and quietly
- VAP Clean (hydrolytic cleaning function)
- Cooling fan, Easy cleaning door (full glazing)
- double safety glazing
- Baking tray guide with hang-in racks
- Telescopic extension retrofit
- Series accessories:
 - 1 email baking tray, 1 Grating chrome-plated
 - 1 email drip pan, 1 small, deep pan

optional accessories (Page 31):

- Telescopic full extension / telescopic full extension
- another drip pan, another baking tray
- Pizza stone and pizza paddle

Specifications

- Energy efficiency class: **A** (Spectrum A+++ to D)
- Temperature range: 50-275° C
- Oven light: 25 W
- Oven volume: 78 liters
- Energy consumption (conventional): 0,93 kWh
- Energy consumption (convection/hot air): 0,83 kWh
- Mounting dimensions (H x W x D): 600 x 580 x 555 mm
- Connection cable with earthed plug: 1,60 m
- Connection value: 3,1 kW, 230 V

OVEN



Built-in oven with HotAir Shield BEB12BL



- Glass black

Oven functions

- Defrost
- Hot air
- Top and bottom heat
- Convection
- Pizza setting
- Grill
- Double grille
- Double grill + convection
- VAP Clean (hydrolytic cleaning function)

Equipment

- Full Touch Display: cleaning-friendly
- Full Black Door: when the oven is switched off, you cannot see the interior of the oven
- Heat Wrap technology: enables an even baking result on 5 levels at the same time and the cooking of up to 4 different dishes without mixing the smells (2 fans)
- HotAir Shield: patented hot air/waste steam deflection system. Glasses do not steam up, the risk of injury is minimised.
- Cooling fan, Easy cleaning door (full glazing)
- double safety glazing
- Baking tray guide with hang-in racks
- Telescopic extension retrofit
- Series accessories:
 - 1 email baking tray, 1 Grating chrome-plated
 - 1 email drip pan, 1 small, deep pan

optional accessories (Page 31):

- Telescopic full extension / telescopic full extension
- another drip pan, another baking tray
- Pizza stone and pizza paddle

Specifications

- Energy efficiency class: **A** (Spectrum A+++ to D)
- Temperature range: 50-275° C
- Oven light: 25 W
- Oven volume: 78 liters
- Energy consumption (conventional): 0,93 kWh
- Energy consumption (convection/hot air): 0,83 kWh
- Mounting dimensions (H x W x D): 600 x 580 x 555 mm
- Connection cable with earthed plug: 1,60 m
- Connection value: 3,3 kW, 230 V



HotAir Shield: patented hot air/waste steam deflection system. Glasses do not steam up, the risk of injury is minimised.



HeatWrap: Baking on up to 5 levels without flavor transfer; with the innovative hot air system, with two fans and vertical heat distribution



VAP Clean: (hydrolytic cleaning function): the cleaning is hereby breeze; Place the supplied bowl filled with water on the bottom of the oven, set VAP Clean, wipe briefly ... done!

Ovens for the 45 mm niche without sacrificing functionality and equipment.

Warm plates at home and not just in restaurants. Just equip your kitchen with a little luxury. Keep food warm until everything is done and serve like a pro.



BCB45-161BL

Compact Built-in oven with VAP Clean Plus, ReadyCook function and HotAir Shield

- 4,3" TFT LCD display
- ReadyCook function: 150+ international recipes already preprogrammed, freely selectable languages
- Steam support: Ensures perfect baking and cooking results
- HotAir Shield: patented hot air/waste steam deflection system. Glasses do not steam up, the risk of injury is minimised.
- Soft Close ensures that the oven door closes automatically and gently
- VAP Clean Plus (hydrolytic cleaning function)

BWS15

Warming drawer

- Handleless with push&pull opening
- Temperature control
- max. loading amount 20 kg

HIGHLIGHT

COMPACT-OVENS & WARMING DRAWER

COMPACT-OVENS AND WARMING DRAWER



Compact Built-in oven BCB45-10BL



- Glass black

Oven functions

- Defrost
- Hot air
- Top and bottom heat
- Convection
- Pizza setting
- Grill
- Double grille
- Double grill + convection
- VAP Clean (hydrolytic cleaning function)

Equipment

- HotAir Shield: patented hot air/waste steam deflection system. Glasses do not steam up, the risk of injury is minimised.
- Cooling fan
- Easy cleaning door (full glazing)
- removable inner glass
- double safety glazing
- Programmable digital timer
- retractable control knobs
- Baking tray guide with hang-in racks
- Telescopic extension retrofit
- Series accessories:
 - 1 email baking tray
 - 1 Grating chrome-plated
 - 1 email drip pan

optional accessories (Page 31):

- Telescopic full extension / telescopic full extension
- another drip pan, another baking tray
- Pizza stone and pizza paddle

Specifications

- Energy efficiency class: **A** (Spectrum A+++ to D)
- Temperature range: 50-270° C
- Oven light: 25 W
- Oven volume: 50 liters
- Energy consumption (conventional): 0,79 kWh
- Energy consumption (convection/hot air): 0,72 kWh
- Mounting dimensions (H x W x D): 450 x 580 x 550 mm
- Connection cable with earthed plug: 1,60 m
- Connection value: 3,1 kW, 230 V

Compact Built-in oven BCB45-161BL



- Glass black

Oven functions

- Defrost
- Hot air
- Top and bottom heat
- Convection
- Pizza setting
- Grill
- Double grille
- Double grill + convection
- VAP Clean (hydrolytic cleaning function)

Equipment

- 4,3" TFT LCD display
- ReadyCook function: 150+ auto. cooking programmes
- Steam support: Ensures perfect baking/cooking results
- HotAir Shield: patented hot air/waste steam deflection system. Glasses do not steam up, the risk of injury is minimised.
- Soft Close ensures that the oven door closes automatically and quietly
- Cooling fan, Easy cleaning door (full glazing)
- double safety glazing
- Baking tray guide with hang-in racks
- Telescopic extension retrofit
- Series accessories:
 - 1 email baking tray
 - 1 Grating chrome-plated
 - 1 email drip pan

optional accessories (Page 31):

- Telescopic full extension / telescopic full extension
- another drip pan, another baking tray
- Pizza stone and pizza paddle

Specifications

- Energy efficiency class: **A** (Spectrum A+++ to D)
- Temperature range: 50-275° C
- Oven light: 25 W
- Oven volume: 50 liters
- Energy consumption (conventional): 0,79 kWh
- Energy consumption (convection/hot air): 0,72 kWh
- Mounting dimensions (H x W x D): 450 x 580 x 550 mm
- Connection cable with earthed plug: 1,60 m
- Connection value: 3,3 kW, 230 V

Warming drawer BWS15

- Black

Equipment

- Handleless with push&pull opening
- Temperature control from 30°-70° C
- max. loading amount 20 kg

Specifications

- Dimensions of appliance (H x W x D): 140 x 595 x 545 mm

All of our glass ceramic hobs are equipped with high-quality SCHOTT glass, which offers the right solution for every heating technology. Successful on the market for almost 50 years, SCHOTT CERAN® material technology offers environmentally friendly, functional and resilient products - and thus guarantees high quality and durability for everyday enjoyment of cooking.

You will also find a little more in the scope of delivery for the gas hobs. Prepared for natural gas, the gas nozzles for liquid gas are included in the delivery for replacement. That makes them flexible.

With our hob extractor you combine the most modern induction and fans in one device.



BML78


Induction hob and extractor hood in one device

- Induction with bridge function
- Bridge function for the two left-hand hob rings
- touchControl
- Timer
- Childlock
- Central rack in stainless steel
- Booster functie
- Pause function
- incl. plinth motor, flat duct accessories and ventilation outlet with regenerable activated carbon filter
- Fan shaft easily accessible for cleaning and care
- Overflow protection and up to 0.5 L volume in vapor collection container
- incl. plinth outlet for the air circulation system; moisture drawn off is removed again, thus preventing mold and moisture damage



AUTONOMOUS HOBS

AUTONOMOUS HOBS



**Glass ceramic hob
BCF30**



- Stainless steel frame

Equipment


- 2 cooking zones
- 1 x 145 mm Ø, 1200 W
- 1 x 180 mm Ø, 1800 W
- Operation indicator light
- overhead panel controls
- Residual heat indicator

optional accessories (Page 32):

- BURG Cookware

Specifications

- Mounting dimensions (W x D): 270 x 490 mm
- Connection cable with earthed plug: 1,60 m
- Connection value: 3,0 kW, 230 V



**Glass ceramic hob
BCF30-TZK**



- Frameless for surface or flush installation

Equipment


- 2 cooking zones
- 1 x 145 mm Ø, 1200 W
- 1 dual-circuit cooking zone: 110/180 mm Ø, 700/1700 W
- touchControl
- Timer
- Residual heat indicator

optional accessories (Page 32):

- BURG Cookware

Specifications

- Mounting dimensions (W x D): 270 x 490 mm
- Connection cable with earthed plug: 1,60 m
- Connection value: 2,9 kW, 230 V



optionally with stainless steel frame

**Glass ceramic hob
BCA60-T, BCA60-TR**



Executions

- Frameless for surface or flush installation
- Stainless steel frame

Equipment

- 4 Highlight cooking zones
- 2 x 145 mm Ø, 1200 W
- 1 x 180 mm Ø, 1800 W
- 1 x 210 mm Ø, 2300 W
- touchControl
- Residual heat indicator


optional accessories (Page 32):

- BURG Cookware

Specifications

- Mounting dimensions (W x D): 560 x 490 mm
- Connection value: 6,5 kW, 230 V

AUTONOMOUS HOB / AUTONOMOUS INDUCTION-HOBS



optionally with stainless steel frame



Glass ceramic hob BCA60ZKB, BCA60ZKB-R



Executions

- Frameless for surface or flush installation
- Stainless steel frame

Equipment


- 4 cooking zones
- 2 x 145 mm Ø, 1200 W
- 1 cooking zone for roast: 155/260 mm Ø, 1800 W
- 1 dual-circuit cooking zone: 110/180 mm Ø, 700/1700 W
- Front Touch Control operation
- Rapid heat up
- Residual heat indicator
- Childlock
- Safety shutdown

optional accessories (Page 32):

- BURG Cookware

Specifications

- Mounting dimensions (W x D): 560 x 490 mm
- Connection value: 5,9 kW, 230 V



Glass ceramic hob BCA78ZKB



- Frameless for surface or flush installation

Equipment


- 4 cooking zones
- 1 x 145 mm Ø, 1200 W
- 1 x 180 mm Ø, 1800 W
- 1 cooking zone for roast: 155/260 mm Ø, 1800 W
- 1 dual-circuit cooking zone: 110/180 mm Ø, 700/1700 W
- touchControl
- Rapid heat up
- Residual heat indicator
- Childlock
- Safety shutdown

optional accessories (Page 32):

- BURG Cookware

Specifications

- Mounting dimensions (W x D): 750 x 490 mm
- Connection value: 6,5 kW, 230 V



optionally with stainless steel frame



Induction glass ceramic hob BIA60, BIA60R



Executions

- Frameless for surface or flush installation
- Stainless steel frame

Equipment

- 4 Induction cooking zones
- 2 x 160 mm Ø, 1400 W (Boost 1800 W)
- 2 x 210 mm Ø, 2200 W (Boost 2500 W)
- touchControl
- Timer
- Booster functie
- Residual heat indicator
- Childlock
- Safety shutdown

optional accessories (Page 32):

- BURG Cookware

Specifications

- Mounting dimensions (W x D): 560 x 490 mm
- Connection value: 8,6 kW, 230 V

AUTONOMOUS INDUCTION-HOB



Induction glass ceramic hob BIA78



- Frameless for surface or flush installation

Equipment

- 4 Induction cooking zones
 - 2 x 160 mm Ø, 1400 W (Boost 1800 W)
 - 2 x 200 mm Ø, 2100 W (Boost 2500 W)
- touchSlider operation
- Timer
- Booster functie
- **AutoMode for melting, roasting, cooking**
- Pause function
- Residual heat indicator
- Childlock

optional accessories (Page 32):

- BURG Cookware

Specifications

- Mounting dimensions (W x D): 750 x 490 mm
- Connection value: 7,4 kW, 230 V

AutoMode for melting, roasting, cooking



Keeps the temperature of the cooking zone constant at 40 ° C




Keeps the temperature of the cooking zone constant at 160 ° C



Keeps the temperature of the cooking zone constant at 100 ° C

HOB EXTRACTOR



Hob extractor BML78



Equipment cooker hood

- can be installed in units in **widths of 90 cm** and over
- From or recirculation mode
- touchControl
- metal grease filter, dishwasher-safe
- Central rack in stainless steel
- including charcoal filter
- including extensive mounting accessories

Equipment hob

- Frameless
- 4 Induction cooking zones
2 x 160 mm Ø, 1400 W (Boost 1800 W)
2 x 210 mm Ø, 2100 W (Boost 2500 W)
- touchControl
- Timer
- Booster functie
- Pause function
- Induction with bridge function
- Bridge function for the two left-hand hob rings
- Residual heat indicator
- Childlock
- incl. plinth motor, flat duct accessories and ventilation outlet with regenerable activated carbon filter
- Fan shaft easily accessible for cleaning and care
- Overflow protection and up to 0.5 L volume in vapor collection container
- incl. plinth outlet for the air circulation system; moisture drawn off is removed again, thus preventing mold and moisture damage

optional accessories (Page 32):

- BURG Cookware

Specifications

- Performance levels in extraction mode:
max. 648 m³/h - 71 db(A)
- Energy efficiency class: **A** (Spectrum A+++ to D)
- Dimensions of appliance (H x W x D):
410 x 780 x 520 mm
- Mounting dimensions (W x D): 750 x 490 mm
- Connection value: 7,4 kW, 220-240 V

Required replacement

- Activated carbon filter VAF1401



Hob extractor FITIN60404SB4



Equipment cooker hood

- From or recirculation mode
- TouchScreen
- integrated automatic fan control (10 levels)
- EC fan (energy saving, high efficiency)
- Stainless steel grease filter, 12-layered
- Filter change display
- Central rack, black

Equipment hob

- Frameless
- 4 Induction cooking zones
190 x 210 mm, 2100 W (max. Power function 3000 W)
Bridging function front and rear
on bridging functions 3500/3700 W
- TouchSlider operation
- 9 power levels
- Power boost for all induction cooking zones
- Keep warm function, Automatic boost
- automatic pan detection
- Grill function
- Timer, Pause function
- Recall Funktion
- Residual heat indicator
- Locking button
- Childlock

optional accessories (Page 32):

- BURG Cookware

Specifications

- Air vents: NW150
- Performance levels in extraction mode:
max. fan capacity 610 m³/h
- Energy efficiency class: **A** (Spectrum A+++ to D)
- Fluid dynamic efficiency class: A
- Class for grease separation: A
- average energy consumption: 57 kWh/a
- Noise level: max. 64 dB(A)
- Dimensions of appliance (H x W x D):
70 x 600 x 520 mm
- Mounting dimensions (W x D): 560 x 490 mm
- Connection value: 7,4 kW, 220-240 V/2NAC 400V

Required replacement

- FIT IN series fan set 9500000336



Hob extractor FITIN80404SB4



Equipment cooker hood

- From or recirculation mode
- TouchScreen
- integrated automatic fan control (10 levels)
- EC fan (energy saving, high efficiency)
- Stainless steel grease filter, 10-layered
- Filter change display
- Central rack, black

Equipment hob

- Frameless
- 4 Induction cooking zones
1 x 200 mm Ø, 2300 W (max. Power function 3000 W)
1 x 160 mm Ø, 1400 W (max. Power function 2100 W)
2 x 190 x 210 mm, 2100 W (max. Power function 3000 W), with bridging function 3700 W
- TouchSlider operation
- 9 power levels
- Power boost for all induction cooking zones
- Keep warm function, Automatic boost
- automatic pan detection
- Grill function
- Timer, Pause function
- Recall Funktion
- Residual heat indicator
- Locking button, Childlock

optional accessories (Page 32):

- BURG Cookware

Specifications

- Air vents: NW150
- Performance levels in extraction mode:
max. fan capacity 570 m³/h
- Energy efficiency class: **A+** (Spectrum A+++ to D)
- Fluid dynamic efficiency class: A
- Class for grease separation: A
- average energy consumption: 24 kWh/a
- Noise level: max. 70 dB(A)
- Dimensions of appliance (H x W x D):
212 x 800 x 520 mm
- Mounting dimensions (W x D): 750 x 490 mm
- Connection value: 7,4 kW, 220-240 V/2NAC 400V

Required replacement

- FIT IN series fan set 9500000336

GAS HOB



Gas hob BGF60AK



- Stainless steel

Equipment

- 4 continuously adjustable gas burners:
 - 2 x standard burner: 1750 W
 - 1 x strongly burner: 3000 W
 - 1 x Economy burner: 1000 W
- One-hand adjustable electric ignition
- Protection against accidental escape of gas
- Steel pan supports in enamelled metal
- righthand control knobs

optional accessories (Page 32):


- BURG Cookware

Specifications

- Instrument preset on natural gas 20 mbar, convertible to LPG
NG (G20-20mbar, LPG (G30-50 mbar)
- Mounting dimensions (W x D): 560 x 480-490 mm
- Connection cable with earthed plug: 1,60 m
- Gas connection value: 7,5 kW

The baskets are designed in an exclusive, hard-wearing gray decor. Our dishwashers have a closed stainless steel interior without additional joints or cracks - hygienic, clean, safe. The devices are equipped with a multiple safety system and an aquastop hose; this offers optimal protection of your property and saves you from unpleasant surprises.

All dishwashers run very quietly and give you the peace and quiet you deserve.



Triple Wash: the additional spray arms enable more effective cleaning of heavily soiled dishes



Direct Wash: narrow spray nozzles in the upper basket for optimal cleaning of baby bottles and glasses



divided cutlery drawer: offers additional space for large items of cutlery

Jet Wash: Rinsing 14 minutes for freshly soiled crockery. One of the fastest washing programs worldwide for household appliances.

Steam Wash: Steam softens heavily dried-up dirt on the dishes and ensures that they are both thorough and gentle cleaning.

BSV60-9BSTW

- Stainless steel interior
- Upper basket loaded in 2 levels, height adjustable
- Space for 15 place settings, divided cutlery drawer
- Option: half load, extra drying, extra fast
- Extra hygiene
- Antibacterial filter
- UVON Tech Crystalight, Triple Wash, Direct Wash, Jet Wash, Steam Wash
- LED interior lighting
- Inverter motor
- Sliding Door
- Aquastop
- Turbo drying system - additional fan support shortens the drying time and increases drying efficiency

DISHWASHERS

DISHWASHERS



Dishwasher, partly integrated
BST60-6.1



- Silver colored
- Substructure / integrated
- high mounting capability

Equipment


- 6 wash programs:
- Prewash
- 65° Intensiv
- 65° Super 50 minutes
- Eco (standard programme)
- 40° quickly 30 minutes
- 40° gentle cycle
- Capacity: 13 place settings
- Stainless steel interior
- Upper basket unloaded height adjustable
- foldable plate rack, foldable cupholders, baskets in grey
- continuous-flow water heater
- Options: half load, extra hygiene
- Program status indicator
- Start time delay: 1-24 h
- LED refill indicator for salt and rinse aid
- Dish tab option
- Aquastop
- Overheating protection
- Active drying system
- Childlock
- Feet from the front adjustable

optional accessories (Page 31):

- Wine glass holder

Specifications

- Energy efficiency class: **E** (Spectrum A to G)
- Drying performance class: A
- Drying performance index: 1,09
- Operating noise: 49 dB (re1pW)
- Airborne sound emissions class: C
- Consumption figures Eco (standard programme)
- Consumption / year: 258 kWh, 3360 liters
- Energy consumption per 100 cycles: 94 kWh
- Water consumption per operating cycle: 12 liters
- Eco programme duration: 3:25 h
- Dimensions of appliance (H x W x D): 820 x 598 x 570 mm
- Length of connecting cable: 1,65 m
- Connection value: 1,9 kW



Dishwasher, fully integrated
BSV60-4.1



- Substructure/fully integrated
- high mounting capability

Equipment

- 4 wash programs:
- Prewash
- 65° Intensiv
- 65° Super 50 minutes
- Eco (standard programme)
- Capacity: 13 place settings
- Stainless steel interior
- Upper basket unloaded height adjustable
- foldable plate rack, foldable cupholders
- Baskets in grey
- continuous-flow water heater
- Option: half load
- audible end of program signal
- Control indicators for salt and rinse aid
- Start time delay: 3 h, 6 h, 9 h
- Aquastop
- Overheating protection
- Active drying system
- Feet from the front adjustable

optional accessories (Page 31):

- Wine glass holder

Specifications

- Energy efficiency class: **E** (Spectrum A to G)
- Drying performance class: A
- Drying performance index: 1,07
- Operating noise: 49 dB (re1pW)
- Airborne sound emissions class: C
- Consumption figures Eco (standard programme)
- Consumption / year: 261 kWh, 3360 liters
- Energy consumption per 100 cycles: 94 kWh
- Water consumption per operating cycle: 12 liters
- Eco programme duration: 3:25 h
- Dimensions of appliance (H x W x D): 820 x 598 x 550 mm
- Length of connecting cable: 1,65 m
- Connection value: 1,9 kW



Dishwasher, fully integrated
BSV60-5.1



- Substructure/fully integrated
- high mounting capability

Equipment

- 5 wash programs:
- Prewash
- 65° Intensiv
- 65° Super 50 minutes
- Eco (standard programme)
- 40° quickly 30 minutes
- Capacity: 13 place settings
- Stainless steel interior
- Upper basket unloaded height adjustable
- foldable plate rack, foldable cupholders
- Baskets in grey
- continuous-flow water heater
- Option: half load
- audible end of program signal
- Control indicators for salt and rinse aid
- Start time delay: 3 h, 6 h, 9 h
- Aquastop
- Overheating protection
- Active drying system
- Feet from the front adjustable


optional accessories (Page 31):

- Wine glass holder

Specifications

- Energy efficiency class: **E** (Spectrum A to G)
- Drying performance class: A
- Drying performance index: 1,07
- Operating noise: 49 dB (re1pW)
- Airborne sound emissions class: C
- Consumption figures Eco (standard programme)
- Consumption / year: 261 kWh, 3360 liters
- Energy consumption per 100 cycles: 94 kWh
- Water consumption per operating cycle: 12 liters
- Eco programme duration: 3:41 h
- Dimensions of appliance (H x W x D): 820 x 598 x 550 mm
- Length of connecting cable: 1,65 m
- Connection value: 1,9 kW

DISHWASHERS



Dishwasher, fully integrated
BSV60-9.2



- Substructure/fully integrated
- high mounting capability

Equipment

- 9 wash programs:
 - Prewash
 - 60°-70° Smart
 - 60° Easy Care
 - 65° Super 50 minutes
 - 50°-60° Smart
 - Eco (standard programme)
 - 40° quickly 30 minutes
 - 40° gentle cycle
 - 30°-50° Smart
- Capacity: 13 place settings
- Stainless steel interior, baskets in grey
- Upper basket unloaded height adjustable
- foldable plate rack, foldable cupholders
- continuous-flow water heater
- Options: half load, extra hygiene, extra dry
- Remaining time display
- audible end of program signal
- LED information: visual signal at end of programme
- Control indicators for salt and rinse aid
- Start time delay: 1-19 h
- Multitab function, Aquastop, Overheating protection
- superActive drying system
- Feet from the front adjustable

optional accessories (Page 31):

- Wine glass holder

Specifications

- Energy efficiency class: **E** (Spectrum A to G)
- Drying performance class: A
- Drying performance index: 1,07
- Operating noise: 49 dB (re1pW)
- Airborne sound emissions class: C
- Consumption figures Eco (standard programme)
- Consumption / year: 261 kWh, 2520 liters
- Energy consumption per 100 cycles: 94 kWh
- Water consumption per operating cycle: 9 liters
- Eco programme duration: 3:42 h
- Dimensions of appliance (H x W x D): 820 x 598 x 550 mm
- Length of connecting cable: 1,65 m
- Connection value: 1,9 kW



Dishwasher, fully integrated
BSV60-9BS.2



- Substructure/fully integrated
- high mounting capability

Equipment

- 9 wash programs:
 - Prewash
 - 60°-70° Smart
 - 60° Easy Care
 - 65° Super 50 minutes
 - 50°-60° Smart
 - Eco (standard programme)
 - 40° quickly 30 minutes
 - 40° gentle cycle
 - 30°-50° Smart
- Capacity: 15 place settings
- Stainless steel interior, baskets in grey
- Upper basket loaded height adjustable
- Upper basket with quick height adjustment
- foldable plate rack, foldable cupholders
- divided cutlery drawer
- continuous-flow water heater
- Options: half load, extra hygiene, extra dry
- Remaining time display, audible end of program signal
- LED information: visual signal at end of programme
- Control indicators for salt and rinse aid
- Start time delay: 1-19 h, Multitab function, Aquastop
- Overheating protection, Turbo drying system
- Feet from the front adjustable

optional accessories (Page 31):

- Wine glass holder

Specifications

- Energy efficiency class: **E** (Spectrum A to G)
- Drying performance class: A
- Drying performance index: 1,07
- Operating noise: 45 dB (re1pW)
- Airborne sound emissions class: C
- Consumption figures Eco (standard programme)
- Consumption / year: 267 kWh, 2520 liters
- Energy consumption per 100 cycles: 97 kWh
- Water consumption per operating cycle: 9 liters
- Eco programme duration: 3:42 h
- Dimensions of appliance (H x W x D): 820 x 598 x 550 mm
- Length of connecting cable: 1,65 m
- Connection value: 1,9 kW



Dishwasher, fully integrated
BSV60-9BSTW



- Substructure/fully integrated
- high mounting capability

Equipment

- 9 wash programs:
 - 70° Hygiene
 - 65° Super 50 minutes
 - 60° Dual Pro Wash
 - 50°-70° Smart
 - Eco (standard programme)
 - 40° quickly 30 minutes, 30°-50° Smart
 - Mini 14 Min. (Jet Wash)
 - Steam Wash
- Capacity: 15 place settings
- Sliding Door, Stainless steel interior, baskets in grey
- divided cutlery drawer, LED interior lighting
- Upper basket loaded in 2 levels, height adjustable
- Upper basket with quick height adjustment
- foldable plate rack, foldable cupholders, Soft Touch
- Antibacterial filter, Uvon Tech, Triple Wash,
- continuous-flow water heater, Remaining time display, Inverter motor, Options: half load, extra dry, Silent Wash
- audible end of program signal
- LED information: visual signal at end of programme
- Control indicators for salt and rinse aid
- Start time delay: 1-19 h, Multitab function, Aquastop
- Overheating protection, Turbo drying system
- Feet from the front adjustable

optional accessories (Page 31):

- Wine glass holder

Specifications

- Energy efficiency class: **D** (Spectrum A to G)
- Drying performance class: A
- Drying performance index: 1,07
- Operating noise: 39 dB (re1pW)
- Airborne sound emissions class: B
- Consumption figures Eco (standard programme)
- Consumption / year: 241 kWh, 2520 liters
- Energy consumption per 100 cycles: 86 kWh
- Water consumption per operating cycle: 9 liters
- Eco programme duration: 4:14 h
- Dimensions of appliance (H x W x D): 820 x 598 x 550 mm
- Length of connecting cable: 1,65 m
- Connection value: 1,9 kW

DISHWASHERS



**XL-Dishwasher, fully integrated
BSV60-9.2-TT-SD**



- Substructure/fully integrated
- high mounting capability

Equipment

- 9 wash programs:
Prewash
60°-70° Smart
60° Easy Care,
65° Super 55 minutes
50°-60° Smart
Eco (standard programme)
40° quickly 30 minutes
40° gentle cycle, 30°-50° Smart
- Capacity: 13 place settings
- Sliding Door, stainless steel interior, baskets in grey
- Upper basket loaded height adjustable
- Upper basket with quick height adjustment
- foldable plate rack, foldable cupholders
- continuous-flow water heater
- Options: half load, extra hygiene, extra dry
- Remaining time display, audible end of program signal
- LED information: visual signal at end of programme
- Control indicators for salt and rinse aid
- Return and overflow protection
- Start time delay: 1-19 h, Multitab function, Aquastop
- Overheating protection, superActive drying system
- Feet from the front adjustable

optional accessories (Page 31):

- Wine glass holder

Specifications

- Energy efficiency class: **E** (Spectrum A to G)
- Drying performance class: A
- Drying performance index: 1,07
- Operating noise: 49 dB (re1pW)
- Airborne sound emissions class: C
- Consumption figures Eco (standard programme)
- Consumption / year: 261 kWh, 2520 liters
- Energy consumption per 100 cycles: 94 kWh
- Water consumption per operating cycle: 9 liters
- Eco programme duration: 3:42 h
- Dimensions of appliance (H x W x D):
860 x 598 x 570 mm
- Length of connecting cable: 1,65 m
- Connection value: 1,9 kW



**Dishwasher, fully integrated
BSV45-8.1**



- Substructure

Equipment

- 8 wash programs:
Prewash
70° Hygiene
65° Intensiv
65° Super 50 minutes
60° Easy Care
Eco (standard programme)
40° quickly 30 minutes
40° gentle cycle
- Capacity: 10 place settings
- Stainless steel interior
- Upper basket unloaded height adjustable
- foldable plate rack, foldable cupholders
- Baskets in grey
- continuous-flow water heater
- Option: half load
- Remaining time display
- audible end of program signal
- electronic refill indicator for salt and rinse aid
- Start time delay: 1-19 h
- Multitab function, Aquastop
- Overheating protection
- Active drying system
- Feet from the front adjustable

optional accessories (Page 31):

- Wine glass holder

Specifications

- Energy efficiency class: **E** (Spectrum A to G)
- Drying performance class: A
- Drying performance index: 1,07
- Operating noise: 49 dB (re1pW)
- Airborne sound emissions class: C
- Consumption figures Eco (standard programme)
- Consumption / year: 211 kWh, 3080 liters
- Energy consumption per 100 cycles: 76 kWh
- Water consumption per operating cycle: 11 liters
- Eco programme duration: 3:42 h
- Dimensions of appliance (H x W x D):
820 x 448 x 550 mm
- Length of connecting cable: 1,65 m
- Connection value: 1,9 kW



**Dishwasher, fully integrated
BSV45-9BS.1**



- Substructure

Equipment

- 9 wash programs:
Prewash
65° Super 50 minutes
60°-70° Smart
60° Easy Care
50°-60° Smart
Eco (standard programme)
40° quickly 30 minutes
40° gentle cycle
30°-50° Smart
- Capacity: 10 standard place settings with additional cutlery drawer
- Stainless steel interior, LED interior lighting
- Upper basket loaded height adjustable
- Upper basket with quick height adjustment
- foldable plate rack, foldable cupholders, baskets in grey
- continuous-flow water heater
- Options: half load, extra hygiene, extra dry
- Remaining time display, Start time delay: 1-19 h
- audible end of program signal
- LED information: visual signal at end of programme
- electronic refill indicator for salt and rinse aid
- Multitab function, Aquastop
- Overheating protection, Active drying system
- Feet from the front adjustable


optional accessories (Page 31):

- Wine glass holder

Specifications

- Energy efficiency class: **E** (Spectrum A to G)
- Drying performance class: A
- Drying performance index: 1,07
- Operating noise: 45 dB (re1pW)
- Airborne sound emissions class: C
- Consumption figures Eco (standard programme)
- Consumption / year: 211 kWh, 2520 liters
- Energy consumption per 100 cycles: 76 kWh
- Water consumption per operating cycle: 9 liters
- Eco programme duration: 3:42 h
- Dimensions of appliance (H x W x D):
820 x 448 x 550 mm
- Length of connecting cable: 1,65 m
- Connection value: 1,9 kW

ACCESSORIES



Easyclick telescopic partial-extension runner / Easyclick telescopic full-extension runner

Telescopic extension: no falling out or tipping; with the telescopic extension, sheets can easily be pulled out of the holder - the risk of users being burned is significantly reduced.



Drip pan

The drip pan is enamelled and leads to optimal baking and cooking results.



Baking tray

The baking tray is enamelled and leads to optimal baking and cooking results.



Pizza stone and pizza paddle

The pizza stone and pizza shovel ensure a crispy and intense taste experience - this is how authentic pizzas and tarte flambée can be baked.



Bottle holder Magic Box


Always stay cool is the motto of the Magic Box: As a practical additional element, the cool box integrates perfectly into the refrigerator. She can be flexible, for example be used for the storage of drugs.



Wine glass holder

Enjoy first, then wash: the wine glass holder with foldable basket makes every wash process a simple matter. Among other things, it is suitable for 4 red wine glasses or 6 Prosecco glasses. A perfect alternative for safely cleaning long-stemmed glasses in a dishwasher.

BURG COOKWARE - FRYING, ROASTING, SERVING, KEEPING WARM



Cast-iron grill pan
ZCWGP

Equipment

- Cast-iron grill pan with handles
- suitable for induction, ceran and gas
- Made in Germany

Specifications

- Dimensions (W x D x H): 410 x 240 x 25 mm

Properties

- very good heat retention
- even heat distribution
- non-stick
- easy to clean



Cast-iron roaster / rectangular two-handled roasting pan / casserole dish
ZCWBR

Equipment

- Cast-iron roaster / rectangular two-handled roasting pan / casserole dish including glass lid with stainless-steel edge
- suitable for induction, ceran and gas
- Made in Germany

Specifications

- Dimensions (W x D x H): 320 x 250 x 70 mm

Properties

- very good heat retention
- even heat distribution
- non-stick
- easy to clean



Cast-iron frying pan
ZCWBP

Equipment

- Cast-iron frying pan with removable handle
- square
- suitable for induction, ceran and gas
- Made in Germany

Specifications

- Dimensions (W x D x H): 280 x 280 x 65 mm

Properties

- very good heat retention
- even heat distribution
- non-stick
- easy to clean

BURG BASIC



Built-in cooker CEH1



combined with the hobs CEH2, CEH3, CEH4
- Stainless steel

Oven functions

- Top and bottom heat
- Top heat
- Bottom heat

Equipment


- 1 Indicator light for ON / OFF
- 1 Indicator light for the oven temperature
- Control panel metal
- Cooling fan
- Full glass inner door
- double safety glazing
- embossed baking sheet guides
- Series accessories:
- 1 email baking tray
- 1 Grating chrome-plated

optional accessories (Page 31):

- Telescopic full extension / telescopic full extension
- another drip pan, another baking tray
- Pizza stone and pizza paddle

Specifications

- Energy efficiency class: **A** (Spectrum A+++ to D)
- Temperature range: 50-275° C
- Oven light: 25 W
- Oven volume: 72 liters
- Energy consumption (conventional): 0,81 kWh
- Mounting dimensions (H x W x D): 600 x 580 x 555 mm
- Connection value: 2,3 kW



optionally with stainless steel frame



Glass ceramic hob CEH3, CEH4



combined with the built-in cooker CEH1

Executions

- Frameless for surface or flush installation
- Stainless steel frame

Equipment

- 4 cooking zones
- 2 x 145 mm Ø, 1200 W
- 2 x 180 mm Ø, 1700 W
- 4-fold residual heat indicator

optional accessories (Page 32):

- BURG Cookware

Specifications

- Mounting dimensions (W x D): 560 x 490 mm
- Connection value: 5,8 kW



Dishwasher, fully integrated CSV1.1



- Substructure/fully integrated
- high mounting capability

Equipment

- 4 wash programs:
- Prewash
- 65° Intensiv
- 65° Super 50 minutes
- Eco (standard programme)
- Capacity: 12 place settings
- Stainless steel interior
- Baskets in white
- continuous-flow water heater
- Option: half load
- audible end of program signal
- Control indicators for salt and rinse aid
- Start time delay: 3 h, 6 h, 9 h
- Overheating protection
- Active drying system
- Feet from the front adjustable

optional accessories (Page 31):


- Wine glass holder

Specifications


- Energy efficiency class: **E** (Spectrum A to G)
- Drying performance class: A
- Drying performance index: 1,07
- Operating noise: 54 dB (re1pW)
- Airborne sound emissions class: D
- Consumption figures Eco (standard programme)
- Consumption / year: 258 kWh, 3360 liters
- Energy consumption per 100 cycles: 92 kWh
- Water consumption per operating cycle: 12 liters
- Eco programme duration: 3:25 h
- Dimensions of appliance (H x W x D): 820 x 598 x 550 mm
- Length of connecting cable: 1,65 m
- Connection value: 1,9 kW

BURG basic products have been manufactured strictly according to cost considerations and therefore, for price reasons, do not include additional equipment such as AquaStop, special noise insulation or special accessories, as is otherwise the standard at BURG.


DIMENSIONAL DRAWINGS




BKS88F, BKS88E, BKG88F, BKG88E, BGS88E




BKS103E, BKG103E




BKS124F, BKG124F




BKG122FDT




BKG144F.1



BKG144FKOMBI




BKG178F, BKG178EMF




BFK186FD


DIMENSIONAL DRAWINGS




BFK186FD




BFK186FD




BKS82F, BKG82F




BEH3.1, BEH7.1, BEH10-DT.1




BCF60-E, BCR60-E, BCF60ZKB, BCR60ZKB



BEB3.1, BEB8.1, BEB8DT.1, BEB8BL, BEB10BL, BEB12BL, BEB161BL




BWS15





BCB45-10BL, BCB45-161BL


DIMENSIONAL DRAWINGS




BCF30, BCF30-TZK




BCA60-T, BCA60-TR, BCA60ZKB, BCA60ZKB-R




BCA78ZKB




BIA60, BIA60R



BIA78




BML78




FITIN60404SB4

FITIN80404SB4


DIMENSIONAL DRAWINGS




BGF60AK




BST60-6.1




BSV60-4.1, BSV60-5.1, BSV60-9.2, BSV60-9BS.2, BSV60-9BSTW




BSV60-9.2-TT-SD




BSV45-8.1, BSV45-9BS.1



CEH1



CEH3, CEH4



CSV1.1

CUSTOMER SERVICE - THE SHORT LINE TO US!

The name Burg not only stands for high-performance kitchen appliances and high quality standards, but also for flexible and reliable customer service.

Do you have questions about a product, need help or would you like to request customer service?

You can reach us

by phone at **+49 89 21129 555**
0180 500 4840 (only applies to hob extractor FITIN60404SB4, FITIN80404SB4)

from Monday to Saturday 8 a.m. - 6 p.m.

or

online 7 days, 24 hours on **www.burg-hausgeraete.de**

Postal address: Vangerow GmbH, Keltenstr. 8, 72766 Reutlingen

Ordering spare parts: ASCI Elektro Service Vertriebs GmbH, Schachtweg 57, 31036 Eime, Phone: 0800 9636800


In order to ensure a smooth process and to be able to process your request quickly, we ask you to write down the serial number of your device in advance - you can find it here:

- **Dishwasher:** open the door, right side
- **Built-in cookers and ovens:** open the door, bottom of the device
- **Refrigerators and freezer:** take out the lower drawer, in the device

We look forward to your call!

Or visit our homepage at:

www.burg-hausgeraete.de



NOTES

